



SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture No-Tox Food Grade Penetrating Lubricant
Product code 76000
SDS number 6236
Registration number -
Synonyms No-Tox PL Plus Lubricant
Date of first issue 12-May-2011
Version number 3,0
Revision date 31-May-2013
Supersedes date 24-May-2013

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Bel-Ray Europe S.A.
Avenue Louise, 304
Bruxelles-Brussel, B-1050
Belgium
+32 (0) 2 540 84 52
Europe: +32 (0) 2 201 18 87
Europe Emergency: 112
Bel-Ray Company, Inc.
P.O. Box 526
Farmingdale, NJ 07727
United States of America
+1 732 938 2421
CHEMTREC: 800-424-9300 (USA)
CHEMTREC: +1 703-527-3887 (outside USA - call collect)

NSF Food-grade lubricant. NSF H1 Registered Number 126280.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification Xn;R65

The full text for all R-phrases is displayed in section 16.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral	Category 4	Harmful if swallowed.
Acute toxicity, dermal	Category 4	Harmful in contact with skin.
Aspiration hazard	Category 1	May be fatal if swallowed and enters airways.

Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard	Category 2	Toxic to aquatic life with long lasting effects.
--	------------	--

Hazard summary

Physical hazards Not classified for physical hazards.
Health hazards Harmful: May cause lung damage if swallowed. Occupational exposure to the substance or mixture may cause adverse health effects.

Environmental hazards	Not classified for hazards to the environment.
Specific hazards	Not available.
Main symptoms	Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Butylhydroxytoluene

Hazard pictograms



Signal word Danger

Hazard statements Harmful if swallowed. May be fatal if swallowed and enters airways. Harmful in contact with skin. Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing.

Response IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTRE or doctor/physician if you feel unwell. Specific treatment (see on this label). Rinse mouth. Do NOT induce vomiting. Wash contaminated clothing before reuse. Collect spillage.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information 99,7 % of the mixture consists of component(s) of unknown acute oral toxicity. 100 % of the mixture consists of component(s) of unknown acute dermal toxicity. 49,85 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards Not assigned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Hydrotreated Light Distillates (petroleum)	40 - < 50	64742-47-8 265-149-8	-	649-422-00-2	
Classification:	DSD: Xn;R65				
	CLP: Asp. Tox. 1;H304, Aquatic Chronic 2;H411				
Butylhydroxytoluene	< 0,2	128-37-0 204-881-4	-	-	
Classification:	DSD: -				
	CLP: Acute Tox. 4;H302, Aquatic Chronic 2;H411				

Other components below reportable levels 40 - < 50

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

#: This substance has workplace exposure limit(s).

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Wash off with soap and plenty of water. For minor skin contact, avoid spreading material on unaffected skin. Call a POISON CENTRE or doctor/physician if you feel unwell.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Aspiration may cause pulmonary oedema and pneumonitis. Never give liquid to an unconscious person.
4.2. Most important symptoms and effects, both acute and delayed	Not available.

4.3. Indication of any immediate medical attention and special treatment needed In case of shortness of breath, give oxygen. Keep victim warm. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	Water fog. Carbon dioxide (CO2). Alcohol resistant foam. Powder. Dry chemicals.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire. Water.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear suitable protective equipment.
Special fire fighting procedures	Cool containers exposed to heat with water spray and remove container, if no risk is involved. Water runoff can cause environmental damage.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Ensure adequate ventilation.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the MSDS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not contaminate water. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.
6.3. Methods and material for containment and cleaning up	Remove sources of ignition. This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Prevent product from entering drains. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use. For waste disposal, see section 13.
6.4. Reference to other sections	For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Avoid contact with clothing. Use only in well-ventilated areas. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.
---	---

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat and sources of ignition. Keep container tightly closed. Keep out of the reach of children.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits****Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001**

Components	Type	Value
------------	------	-------

Butylhydroxytoluene (128-37-0)	MAK	10 mg/m ³
--------------------------------	-----	----------------------

Belgium. Exposure Limit Values.

Components	Type	Value	Form
------------	------	-------	------

Butylhydroxytoluene (128-37-0)	TWA	2 mg/m ³	Vapor and aerosol.
--------------------------------	-----	---------------------	--------------------

Hydrotreated Light Distillates (petroleum) (64742-47-8)	TWA	200 mg/m ³	Vapor.
---	-----	-----------------------	--------

White mineral oil (petroleum) (8042-47-5)	STEL	10 mg/m ³	Mist.
---	------	----------------------	-------

	TWA	5 mg/m ³	Mist.
--	-----	---------------------	-------

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value
------------	------	-------

Butylhydroxytoluene (128-37-0)	STEL	50 mg/m ³
--------------------------------	------	----------------------

	TWA	10 mg/m ³
--	-----	----------------------

Hydrotreated Light Distillates (petroleum) (64742-47-8)	TWA	300 mg/m ³
---	-----	-----------------------

White mineral oil (petroleum) (8042-47-5)	TWA	5 mg/m ³
---	-----	---------------------

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
------------	------	-------	------

White mineral oil (petroleum) (8042-47-5)	Ceiling	10 mg/m ³	Aerosol
---	---------	----------------------	---------

	TWA	5 mg/m ³	Aerosol
--	-----	---------------------	---------

Denmark. Exposure Limit Values

Components	Type	Value	Form
------------	------	-------	------

Butylhydroxytoluene (128-37-0)	TLV	10 mg/m ³
--------------------------------	-----	----------------------

White mineral oil (petroleum) (8042-47-5)	TLV	1 mg/m ³	Mist.
---	-----	---------------------	-------

Finland. Workplace Exposure Limits

Components	Type	Value
------------	------	-------

Butylhydroxytoluene (128-37-0)	STEL	20 mg/m ³
--------------------------------	------	----------------------

	TWA	10 mg/m ³
--	-----	----------------------

Hydrotreated Light Distillates (petroleum) (64742-47-8)	TWA	500 mg/m ³
---	-----	-----------------------

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
------------	------	-------

Butylhydroxytoluene (128-37-0)	VME	10 mg/m ³
--------------------------------	-----	----------------------

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
------------	------	-------	------

Butylhydroxytoluene (128-37-0)	TWA	10 mg/m ³	Inhalable fraction.
--------------------------------	-----	----------------------	---------------------

Hydrotreated Light Distillates (petroleum) (64742-47-8)	TWA	140 mg/m ³
---	-----	-----------------------

20 ppm

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value	Form
Butylhydroxytoluene (128-37-0)	TWA	10 mg/m3	
White mineral oil (petroleum) (8042-47-5)	TWA	5 mg/m3	Mist.

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value	Form
White mineral oil (petroleum) (8042-47-5)	Ceiling	5 mg/m3	Mist.

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value	Form
Butylhydroxytoluene (128-37-0)	TWA	10 mg/m3	
White mineral oil (petroleum) (8042-47-5)	TWA	1 mg/m3	Mist.

Ireland. Occupational Exposure Limits

Components	Type	Value	Form
Butylhydroxytoluene (128-37-0)	TWA	10 mg/m3	
White mineral oil (petroleum) (8042-47-5)	TWA	0,2 mg/m3	Inhalable fraction.

Italy. Occupational Exposure Limits

Components	Type	Value	Form
Butylhydroxytoluene (128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
White mineral oil (petroleum) (8042-47-5)	TWA	5 mg/m3	Inhalable fraction.

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value	Form
Hydrotreated Light Distillates (petroleum) (64742-47-8)	STEL	500 mg/m3	
White mineral oil (petroleum) (8042-47-5)	TWA	350 mg/m3	
	STEL	3 mg/m3	Fume and mist.
	TWA	1 mg/m3	Fume and mist.

Netherlands. OELs (binding)

Components	Type	Value	Form
White mineral oil (petroleum) (8042-47-5)	TWA	5 mg/m3	Mist.

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Hydrotreated Light Distillates (petroleum) (64742-47-8)	TLV	275 mg/m3	
White mineral oil (petroleum) (8042-47-5)		40 ppm	
	TLV	1 mg/m3	Mist.

Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment

Components	Type	Value	Form
Hydrotreated Light Distillates (petroleum) (64742-47-8)	STEL	300 mg/m3	
White mineral oil (petroleum) (8042-47-5)	TWA	100 mg/m3	
	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Butylhydroxytoluene (128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
White mineral oil (petroleum) (8042-47-5)	STEL	10 mg/m3	Aerosol
	TWA	5 mg/m3	Aerosol

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value
White mineral oil (petroleum) (8042-47-5)	STEL	10 mg/m3
	TWA	5 mg/m3

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Components	Type	Value	Form
White mineral oil (petroleum) (8042-47-5)	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value	Form
Butylhydroxytoluene (128-37-0)	TWA	10 mg/m3	Inhalable fraction.

Spain. Occupational Exposure Limits

Components	Type	Value	Form
White mineral oil (petroleum) (8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Sweden. Occupational Exposure Limit Values

Components	Type	Value	Form
Hydrotreated Light Distillates (petroleum) (64742-47-8)	STEL	500 mg/m3	
	TWA	350 mg/m3	
White mineral oil (petroleum) (8042-47-5)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value	Form
Butylhydroxytoluene (128-37-0)	TWA	10 mg/m3	Inhalable dust.

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value
Butylhydroxytoluene (128-37-0)	TWA	10 mg/m3

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

8.2. Exposure controls**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide adequate general and local exhaust ventilation.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Chemical goggles are recommended.

Skin protection**- Hand protection**

Wear protective gloves.

- Other

Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Wear suitable protective clothing. Wear protective gloves.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards

Not available.

Hygiene measures

When using, do not eat, drink or smoke. Avoid contact with eyes. Avoid contact with skin. Avoid contact with clothing. Wash hands after handling and before eating.

Environmental exposure controls

Contain spills and prevent releases and observe national regulations on emissions. Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear.
Appearance	
Physical state	Liquid.
Form	Liquid. Liquid.
Colour	Cloudy. Cloudy.
Odour	Mild.
Odour threshold	Not available.
pH	Not applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	218 °C (424,4 °F) estimated
Flash point	100,00 °C (212,00 °F) Pensky-Martens Closed Cup
Auto-ignition temperature	200 °C (392 °F) estimated
Flammability (solid, gas)	Not applicable.

Information on basic physical and chemical properties

Flammability limit - lower (%)	0,6 % estimated
Flammability limit - upper (%)	4,9 % estimated
Oxidizing properties	Not available.
Explosive properties	Not available.
Vapour pressure	0,12 hPa estimated
Density	826,00 kg/m ³
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Relative density	Not available.
Solubility(ies)	Negligible
Solubility (other)	Oil
Partition coefficient (n-octanol/water)	Not available.
Decomposition temperature	Not available.
Pour point	-34 °C (-29,2 °F)
Viscosity	7,2 - 8,5 cSt
Viscosity temperature	40 °C (104 °F)
VOC (Weight %)	0,005 % estimated
Percent volatile	0,005 % estimated

Other data

Flammability class	Combustible III B estimated
Specific gravity	0,826

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	Strong oxidizing agents.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid temperatures exceeding the flash point.
10.5. Incompatible materials	Strong oxidizing agents.
10.6. Hazardous decomposition products	At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Ingestion May be fatal if swallowed and enters airways. Harmful if swallowed.

Inhalation May be fatal if swallowed and enters airways.

Skin contact Harmful in contact with skin.

Eye contact Due to lack of data the classification is not possible.

Symptoms Not available.

11.1. Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways. Harmful in contact with skin.

Product	Species	Test results
No-Tox Food Grade Penetrating Lubricant (Mixture)		
Acute		
<i>Oral</i>		
LD50	Mouse	30000 g/kg, estimated
	Rabbit	30000 g/kg, estimated
<i>Other</i>		
LD50	Mouse	2000 g/kg, estimated

Components	Species	Test results
Butylhydroxytoluene (128-37-0)		
Acute		
<i>Oral</i>		
LD50	Guinea pig	10700 mg/kg
	Mouse	1040 mg/kg
	Rat	890 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Due to lack of data the classification is not possible.

Serious eye damage/irritation Due to lack of data the classification is not possible.

Respiratory sensitisation Due to lack of data the classification is not possible.

Skin sensitisation Due to lack of data the classification is not possible.

Germ cell mutagenicity Due to lack of data the classification is not possible.

Carcinogenicity Due to lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to lack of data the classification is not possible.

Specific target organ toxicity - single exposure Due to lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure Due to lack of data the classification is not possible.

Aspiration hazard May be fatal if swallowed and enters airways. Due to lack of data the classification is not possible

Mixture versus substance information Not available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Accumulation in aquatic organisms is expected. Toxic to aquatic life with long lasting effects.

Product	Species	Test results
No-Tox Food Grade Penetrating Lubricant (Mixture)		
Crustacea	EC50 Daphnia	920,8829 mg/l, 48 hours, estimated
Fish	LC50 Fish	88800 mg/l, 96 hours, estimated

Components	Species	Test results
Butylhydroxytoluene (128-37-0)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia pulex)
		1,44 mg/l, 48 hours
Hydrotreated Light Distillates (petroleum) (64742-47-8)		
Aquatic		
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)
		2,4 mg/l, 4 days

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability No data is available on the degradability of this product.

12.3. Bioaccumulative potential Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Liquid, n.o.s.
14.3. Transport hazard class(es)	9
Subsidiary class(es)	-
14.4. Packing group	III
14.5. Environmental hazards	No
Tunnel restriction code	E
Labels required	9
14.6. Special precautions for user	Not available.

RID

14.1. UN number	UN3082
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Liquid, n.o.s.
14.3. Transport hazard class(es)	9
Subsidiary class(es)	-
14.4. Packing group	III
14.5. Environmental hazards	No
Labels required	9

14.6. Special precautions for user Not available.

ADN

14.1. UN number UN3082
14.2. UN proper shipping name Environmentally Hazardous Liquid, n.o.s.
14.3. Transport hazard class(es) 9
Subsidiary class(es) -
14.4. Packing group III
14.5. Environmental hazards No
Labels required 9
14.6. Special precautions for user Not available.

IATA

14.1. UN number UN3082
14.2. UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Hydrotreated Light Distillates (petroleum))
14.3. Transport hazard class(es) 9
Subsidiary class(es) -
14.4. Packing group III
14.5. Environmental hazards Not available.
Labels required Not available.
ERG Code 9L
14.6. Special precautions for user Not available.

IMDG

14.1. UN number UN3082
14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, Liquid, n.o.s. (Hydrotreated Light Distillates (petroleum))
14.3. Transport hazard class(es) 9
Subsidiary class(es) -
14.4. Packing group III
14.5. Environmental hazards
Marine pollutant No
Labels required Not available.
EmS No. F-A, S-F
14.6. Special precautions for user Not available.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code This substance/mixture is not intended to be transported in bulk.

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Authorisations

Restrictions on use

Other EU regulations**Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work**

Hydrotreated Light Distillates (petroleum) (CAS 64742-47-8)

Other regulationsThe product is classified and labelled in accordance with EC directives or respective national laws
This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.**National regulations**

Not available.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information**List of abbreviations**

Not available.

References

Not available.

Information on evaluation method leading to the classification of mixture

Not available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R65 Harmful: May cause lung damage if swallowed.

H302 - Harmful if swallowed.

H304 - May be fatal if swallowed and enters airways.

H411 - Toxic to aquatic life with long lasting effects.

Revision information

TRANSPORT INFORMATION: Material Transportation Information

Training information

Not available.

Disclaimer

Bel-Ray Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Issue date

29-September-2011

Revision date

31-May-2013

Print date

31-May-2013

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no) *
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)